

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>All Causes of Death</b>						
	2001	61,511	1,054.2	68,137	726.4	129,648	864.1
	2000	61,581	1,086.0	68,509	744.0	130,092	886.6
	1999	61,401	1,045.4	68,026	731.1	129,430	867.5
<b>Blair County</b>	<b>All Causes of Death</b>						
	2001	802	1,235.2	870	778.6	1,672	964.5
	2000	735	1,173.3	855	774.3	1,590	931.9
	1999	771	1,177.6	797	727.0	1,568	912.8
<b>Pennsylvania</b>	<b>Accidents</b>						
	2001	2,898	49.4	1,626	20.6	4,524	34.1
	2000	2,871	49.5	1,629	21.2	4,500	34.5
	1999	2,840	49.0	1,665	21.6	4,505	34.5
<b>Blair County</b>	<b>Accidents</b>						
	2001	41	67.8	25	23.0	66	46.2
	2000	34	57.0	21	24.1	55	40.5
	1999	36	59.4	22	24.6	58	41.3
<b>Pennsylvania</b>	<b>Accidents, Motor Vehicle</b>						
	2001	1,075	18.1	451	6.7	1,526	12.1
	2000	1,030	17.5	443	6.6	1,473	11.8
	1999	994	17.1	527	8.1	1,521	12.4
<b>Blair County</b>	<b>Accidents, Motor Vehicle</b>						
	2001	17	28.1	5	ND	22	17.3
	2000	18	30.9	7	ND	25	19.2
	1999	17	27.8	8	ND	25	19.5
<b>Pennsylvania</b>	<b>Accidents, Non-transport</b>						
	2001	1,680	28.9	1,122	13.1	2,802	20.4
	2000	1,719	30.0	1,119	13.7	2,838	21.2
	1999	1,737	30.0	1,092	12.9	2,829	20.9
<b>Blair County</b>	<b>Accidents, Non-transport</b>						
	2001	20	33.5	20	16.9	40	25.9
	2000	15	24.4	14	14.3	29	20.4
	1999	18	30.0	12	9.5	30	19.7

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Accidents, Other Transport, Not Motor Vehicles</b>						
	1999	143	2.4	53	0.8	196	1.6
	2000	122	2.0	67	1.0	189	1.5
	2001	109	1.9	46	0.7	155	1.2
<b>Blair County</b>	<b>Accidents, Other Transport, Not Motor Vehicles</b>						
	2001	4	ND	-	ND	4	ND
	2000	1	ND	-	ND	1	ND
	1999	1	ND	2	ND	3	ND
<b>Pennsylvania</b>	<b>Accidents, Transport</b>						
	2001	1,218	20.5	504	7.5	1,722	13.7
	2000	1,152	19.5	510	7.6	1,662	13.3
	1999	1,103	18.9	573	8.7	1,676	13.6
<b>Blair County</b>	<b>Accidents, Transport</b>						
	2001	21	34.3	5	ND	26	20.4
	2000	19	32.6	7	ND	26	20.0
	1999	18	29.5	10	15.1	28	21.6
<b>Pennsylvania</b>	<b>Accidental Discharge of Firearms</b>						
	2001	20	0.3	4	ND	24	0.2
	2000	37	0.6	4	ND	41	0.3
	1999	29	0.5	6	ND	35	0.3
<b>Blair County</b>	<b>Accidental Discharge of Firearms</b>						
	2001	-	ND	-	ND	-	ND
	2000	1	ND	1	ND	2	ND
	1999	-	ND	-	ND	-	ND

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Accidental Drug Poisoning</b>						
	2001	581	9.8	189	3.1	770	6.4
	2000	666	11.3	230	3.7	896	7.4
	1999	519	9.1	175	2.8	694	5.9
<b>Blair County</b>	<b>Accidental Drug Poisoning</b>						
	2001	8	ND	3	ND	11	9.0
	2000	7	ND	3	ND	10	7.9
	1999	9	ND	-	ND	9	ND
<b>Pennsylvania</b>	<b>Accidental Poisoning and Exposure to Noxious Substances</b>						
	2001	603	10.2	203	3.3	806	6.7
	2000	699	11.8	246	3.9	945	7.8
	1999	553	9.7	181	2.9	734	6.3
<b>Blair County</b>	<b>Accidental Poisoning and Exposure to Noxious Substances</b>						
	2001	8	ND	3	ND	11	9.0
	2000	7	ND	3	ND	10	7.9
	1999	9	ND	-	ND	9	ND
<b>Pennsylvania</b>	<b>Acute Myocardial Infarction</b>						
	2001	5,313	90.6	5,192	53.0	10,505	68.8
	2000	5,699	99.6	5,614	58.8	11,313	75.9
	1999	5,987	101.4	5,742	59.3	11,729	77.5
<b>Blair County</b>	<b>Acute Myocardial Infarction</b>						
	2001	82	126.7	72	62.6	154	87.0
	2000	83	127.4	74	65.0	157	90.6
	1999	91	136.3	66	60.7	157	92.8

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Alzheimer's Disease</b>						
	2001	780	14.4	1,969	18.0	2,749	16.9
	2000	723	14.2	1,810	17.3	2,533	16.4
	1999	588	10.1	1,596	14.6	2,184	13.1
<b>Blair County</b>	<b>Alzheimer's Disease</b>						
	2001	82	126.7	72	62.6	154	87.0
	2000	3	ND	11	8.6	14	7.6
	1999	8	ND	11	8.7	19	9.9
<b>Pennsylvania</b>	<b>Anemias</b>						
	2001	96	1.7	192	2.0	288	1.9
	2000	100	1.9	184	1.9	284	1.9
	1999	93	1.6	176	1.9	269	1.8
<b>Blair County</b>	<b>Anemias</b>						
	2001	2	ND	3	ND	5	ND
	2000	1	ND	1	ND	2	ND
	1999	2	ND	1	ND	3	ND
<b>Pennsylvania</b>	<b>Asthma</b>						
	2001	34	0.6	120	1.5	154	1.1
	2000	65	1.1	132	1.7	197	1.4
	1999	50	0.8	122	1.5	172	1.2
<b>Blair County</b>	<b>Asthma</b>						
	2001	1	ND	-	ND	1	ND
	2000	-	ND	2	ND	2	ND
	1999	-	ND	-	ND	-	ND
<b>Pennsylvania</b>	<b>Atherosclerosis</b>						
	2001	193	3.5	405	3.7	598	3.7
	2000	208	4.0	436	4.2	644	4.2
	1999	213	3.6	424	3.8	637	3.9
<b>Blair County</b>	<b>Atherosclerosis</b>						
	2001	3	ND	1	ND	4	ND
	2000	-	ND	3	ND	3	ND
	1999	-	ND	3	ND	3	ND

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Atherosclerotic Cardiovascular Disease</b>						
	2001	2,017	34.3	2,216	21.9	4,233	27.7
	2000	1,998	35.3	2,281	23.2	4,279	28.8
	1999	1,965	33.3	2,369	23.2	4,334	28.0
<b>Blair County</b>	<b>Atherosclerotic Cardiovascular Disease</b>						
	2001	7	ND	9	ND	16	8.5
	2000	6	ND	14	11.3	20	11.1
	1999	5	ND	8	ND	13	6.9
<b>Pennsylvania</b>	<b>Bronchitis, Chronic and Unspecified</b>						
	2001	21	0.4	33	0.3	54	0.4
	2000	31	0.6	36	0.4	67	0.4
	1999	16	0.3	34	0.3	50	0.3
<b>Blair County</b>	<b>Bronchitis, Chronic and Unspecified</b>						
	2001	-	ND	1	ND	1	ND
	2000	-	ND	1	ND	1	ND
	1999	-	ND	-	ND	-	ND
<b>Pennsylvania</b>	<b>Cardiovascular Diseases (Major)</b>						
	2001	22,937	397.8	27,999	278.0	50,936	328.9
	2000	23,422	419.6	28,849	295.6	52,271	348.2
	1999	23,750	404.1	29,130	290.7	52,880	341.0
<b>Blair County</b>	<b>Cardiovascular Diseases (Major)</b>						
	2001	324	499.7	360	301.7	684	379.4
	2000	303	482.1	380	287.8	683	357.5
	1999	326	495.5	361	310.6	687	387.1

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Cerebrovascular Diseases</b>						
	2001	3162	55.8	5,423	53.4	8585	54.7
	2000	3288	60.1	5,597	56.9	8885	58.7
	1999	3191	54.6	5356	53.0	8457	54.2
<b>Blair County</b>	<b>Cerebrovascular Diseases</b>						
	2001	34	52.6	75	60.3	109	59.2
	2000	40	63.2	62	52.5	102	57.4
	1999	32	49.2	59	49.5	91	50.5
<b>Pennsylvania</b>	<b>Cholelithiasis and Other Disorders of Gallbladder</b>						
	2001	62	1.1	89	0.9	151	1.0
	2000	47	0.9	79	0.8	126	0.8
	1999	28	0.5	72	0.7	100	0.6
<b>Blair County</b>	<b>Cholelithiasis and Other Disorders of Gallbladder</b>						
	2001	1	ND	2	ND	3	ND
	2000	-	ND	-	ND	-	ND
	1999	-	ND	-	ND	-	ND
<b>Pennsylvania</b>	<b>Chronic Lower Respiratory Diseases</b>						
	2001	2,816	48.5	3,024	32.2	5,840	38.1
	2000	2,901	51.4	3,144	33.9	6,045	40.1
	1999	3,112	53.0	3,002	32.5	6,114	40.4
<b>Blair County</b>	<b>Chronic Lower Respiratory Diseases</b>						
	2001	44	66.8	33	28.7	77	43.0
	2000	37	57.2	34	31.4	71	40.0
	1999	38	57.6	22	19.9	60	33.4

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Complications of Medical and Surgical Care</b>						
	2001	113	1.9	106	1.2	219	1.5
	2000	126	2.2	123	1.5	249	1.8
	1999	93	1.6	74	0.8	167	1.2
<b>Blair County</b>	<b>Complications of Medical and Surgical Care</b>						
	2001	-	ND	1	ND	1	ND
	2000	-	ND	2	ND	2	ND
	1999	2	ND	1	ND	3	ND
<b>Pennsylvania</b>	<b>Coronary Heart Disease</b>						
	2001	13,806	237.9	14659	145.4	28465	184.3
	2000	14,213	252.5	15257	156.1	29470	196.4
	1999	14,555	247.3	15883	158.2	30438	196.9
<b>Blair County</b>	<b>Coronary Heart Disease</b>						
	2001	190	297.2	198	165.8	388	214.3
	2000	188	302.2	200	166.4	388	219.8
	1999	216	326.8	188	160.6	104	228.9
<b>Pennsylvania</b>	<b>Diabetes Mellitus</b>						
	2001	1,692	28.4	2,120	23.5	3,812	25.5
	2000	1,644	28.2	2,137	23.8	3,781	25.7
	1999	1,623	27.6	2,102	23.3	3,725	25.2
<b>Blair County</b>	<b>Diabetes Mellitus</b>						
	2001	27	41.3	23	20.9	50	29.1
	2000	26	42.6	19	18.3	45	26.5
	1999	24	36.4	18	16.5	42	24.2
<b>Pennsylvania</b>	<b>Digestive System</b>						
	2001	2,108	35.5	2,276	24.7	4,384	29.7
	2000	2,033	35.3	2,296	25.3	4,329	29.9
	1999	1,940	33.0	2,200	24.1	4,140	28.4
<b>Blair County</b>	<b>Digestive System</b>						
	2001	21	32.3	32	29.0	53	31.3
	2000	20	31.4	24	23.6	44	27.9
	1999	21	32.0	30	27.8	51	29.8

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Drowning and Submersion, Accidental</b>						
	2001	61	1.0	31	0.5	92	0.8
	2000	65	1.1	25	0.4	90	0.7
	1999	85	1.5	18	0.3	103	0.9
<b>Blair County</b>	<b>Drowning and Submersion, Accidental</b>						
	2001	1	ND	-	ND	1	ND
	2000	-	ND	1	ND	1	ND
	1999	-	ND	-	ND	-	ND
<b>Pennsylvania</b>	<b>Drug-Induced Deaths</b>						
	2001	726	12.3	274	4.4	1,000	8.3
	2000	831	14.0	361	5.8	1,192	9.8
	1999	715	12.5	312	5.1	1,027	8.8
<b>Blair County</b>	<b>Drug-Induced Deaths</b>						
	2001	9	ND	3	ND	12	9.8
	2000	9	ND	5	ND	14	11.0
	1999	10	17.5	5	ND	15	12.6
<b>Pennsylvania</b>	<b>Emphysema</b>						
	2001	360	6.1	324	3.6	684	4.5
	2000	372	6.4	373	4.1	745	5.0
	1999	387	6.6	423	4.8	810	5.5
<b>Blair County</b>	<b>Emphysema</b>						
	2001	3	ND	2	ND	5	ND
	2000	1	ND	4	ND	5	ND
	1999	3	ND	3	ND	6	ND
<b>Pennsylvania</b>	<b>Epilepsy</b>						
	2001	26	0.4	33	0.4	59	0.4
	2000	26	0.4	30	0.4	56	0.4
	1999	22	0.4	31	0.5	53	0.4
<b>Blair County</b>	<b>Epilepsy</b>						
	2001	-	ND	1	ND	1	ND
	2000	2	ND	2	ND	4	ND
	1999	-	ND	-	ND	-	ND

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>External Cause of Death, Injury Accidents</b>						
	2001	4,647	78.7	2,137	28.3	6,784	52.2
	2000	4,678	80.0	2,185	29.5	6,863	53.4
	1999	4,590	79.0	2,190	29.9	6,780	53.2
<b>Blair County</b>	<b>External Cause of Death, Injury Accidents</b>						
	2001	55	89.9	31	32.0	86	61.2
	2000	51	84.6	27	32.7	78	57.8
	1999	51	84.9	32	39.3	83	61.2
<b>Pennsylvania</b>	<b>Falls</b>						
	2001	364	6.3	331	3.4	695	4.6
	2000	337	6.0	377	4.0	714	4.9
	1999	379	6.5	308	3.2	687	4.6
<b>Blair County</b>	<b>Falls</b>						
	2001	4	ND	4	ND	8	ND
	2000	2	ND	2	ND	4	ND
	1999	4	ND	1	ND	5	ND
<b>Pennsylvania</b>	<b>Fire, Smoke, and Flames (Accidental)</b>						
	2001	98	1.7	52	0.7	150	1.1
	2000	102	1.7	67	1.0	169	1.3
	1999	90	1.6	72	1.1	162	1.3
<b>Blair County</b>	<b>Fire, Smoke, and Flames (Accidental)</b>						
	2001	-	ND	1	ND	1	ND
	2000	-	ND	-	ND	-	ND
	1999	3	ND	-	ND	3	ND

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Firearm Related Injuries (Accidental, Suicide, Homicide, Undetermined, Legal Interv.)</b>						
	2001	1,011	17.0	158	2.5	1,169	9.5
	2000	1,106	18.7	143	2.2	1,249	10.1
	1999	1,026	17.6	157	0.6	1,183	9.8
<b>Blair County</b>	<b>Firearm Related Injuries (Accidental, Suicide, Homicide, Undetermined, Legal Interv.)</b>						
	2001	8	ND	2	ND	10	6.9
	2000	14	22.5	3	ND	17	12.5
	1999	6	ND	2	ND	8	ND
<b>Pennsylvania</b>	<b>Genitourinary System</b>						
	2001	1,601	28.1	2,023	20.6	3,624	23.3
	2000	1,562	28.6	1,970	20.4	3,532	23.4
	1999	1,542	26.4	1,977	20.3	3,519	22.6
<b>Blair County</b>	<b>Genitourinary System</b>						
	2001	29	44.2	44	38.0	73	40.3
	2000	19	28.3	31	25.8	50	28.0
	1999	24	36.1	22	19.4	46	25.5
<b>Pennsylvania</b>	<b>Heart Disease</b>						
	2001	18,486	319.6	20,922	208.1	39,408	255.3
	2000	18,858	336.7	21,588	221.9	40,446	270.0
	1999	19,306	328.1	22,114	221.3	41,420	268.1
<b>Blair County</b>	<b>Heart Disease</b>						
	2001	271	419.0	273	231.4	544	302.9
	2000	251	399.8	298	250.3	549	311.1
	1999	282	428.4	289	250.6	571	322.7

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Heart Failure</b>						
	2001	1,323	24.0	2,240	21.0	3,563	22.3
	2000	1,252	23.9	2,184	21.4	3,436	22.5
	1999	1,255	21.4	2,062	19.1	3,317	20.2
<b>Blair County</b>	<b>Heart Failure</b>						
	2001	23	33.3	26	20.5	49	26.7
	2000	19	31.3	37	29.5	56	30.8
	1999	17	26.7	36	28.5	53	28.0
<b>Pennsylvania</b>	<b>Homicide (Assault)</b>						
	2001	519	8.8	152	2.5	671	5.6
	2000	494	8.5	155	2.5	649	5.5
	1999	479	8.2	155	2.6	634	5.4
<b>Blair County</b>	<b>Homicide (Assault)</b>						
	2001	3	ND	2	ND	5	ND
	2000	1	ND	1	ND	2	ND
	1999	-	ND	3	ND	3	ND
<b>Pennsylvania</b>	<b>Homicide (Assault), by Discharge of Firearm</b>						
	2001	377	6.4	67	1.1	444	3.8
	2000	367	6.3	72	1.1	439	3.7
	1999	358	6.1	70	1.2	428	3.7
<b>Blair County</b>	<b>Homicide (Assault), by Discharge of Firearm</b>						
	2001	1	ND	1	ND	2	ND
	2000	-	ND	1	ND	1	ND
	1999	-	ND	-	ND	-	ND

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Human Immunodeficiency Virus (HIV) Disease</b>						
	2001	368	6.1	127	2.1	495	4.0
	2000	370	6.2	128	2.1	498	4.1
	1999	363	6.4	130	2.2	493	4.3
<b>Blair County</b>	<b>Human Immunodeficiency Virus (HIV) Disease</b>						
	2001	2	ND	-	ND	2	ND
	2000	2	ND	-	ND	2	ND
	1999	-	ND	-	ND	-	ND
<b>Pennsylvania</b>	<b>Hypertension (Essential/ Primary) and Hypertensive Renal Disease</b>						
	2001	326	5.6	534	5.4	860	5.6
	2000	309	5.5	524	5.4	833	5.6
	1999	274	4.7	469	4.8	743	4.8
<b>Blair County</b>	<b>Hypertension (Essential/ Primary) and Hypertensive Renal Disease</b>						
	2001	7	ND	7	ND	14	8.0
	2000	3	ND	5	ND	8	ND
	1999	5	ND	3	ND	8	ND
<b>Pennsylvania</b>	<b>Hypertensive Heart and Renal Disease</b>						
	2001	32	0.6	59	0.6	91	0.6
	2000	42	0.8	59	0.6	101	0.7
	1999	44	0.8	71	0.7	115	0.7
<b>Blair County</b>	<b>Hypertensive Heart and Renal Disease</b>						
	2001	-	ND	-	ND	-	ND
	2000	-	ND	4	ND	4	ND
	1999	2	ND	1	ND	3	ND

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Hypertensive Heart Disease</b>						
	2001	255	4.3	445	4.4	700	4.6
	2000	301	5.3	460	4.9	761	5.2
	1999	296	5.0	463	4.6	759	4.9
<b>Blair County</b>	<b>Hypertensive Heart Disease</b>						
	2001	4	ND	4	ND	8	ND
	2000	3	ND	8	ND	11	6.1
	1999	1	ND	7	ND	8	ND
<b>Pennsylvania</b>	<b>In Situ, Benign and Uncertain Neoplasms</b>						
	2001	380	6.5	409	4.5	789	5.3
	2000	360	6.5	412	4.4	772	5.2
	1999	365	6.3	404	4.4	769	5.1
<b>Blair County</b>	<b>In Situ, Benign and Uncertain Neoplasms</b>						
	2001	4	ND	5	ND	9	ND
	2000	6	ND	7	ND	13	7.9
	1999	4	ND	8	ND	12	6.3
<b>Pennsylvania</b>	<b>Infectious and Parasitic Diseases</b>						
	2001	1,834	31.1	1,965	22.0	3,799	26.1
	2000	1,776	31.0	1,882	21.2	3,658	25.6
	1999	1,752	30.1	1,961	22.1	3,713	25.9
<b>Blair County</b>	<b>Infectious and Parasitic Diseases</b>						
	2001	30	47.1	31	26.7	61	35.4
	2000	10	16.2	39	35.3	49	28.5
	1999	21	31.7	32	28.6	53	29.4

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Influenza</b>						
	2001	3	ND	6	ND	9	ND
	2000	24	0.5	31	0.3	55	0.4
	1999	14	0.2	35	0.4	49	0.3
<b>Blair County</b>	<b>Influenza</b>						
	2001	-	ND	-	ND	-	ND
	2000	1	ND	1	ND	2	ND
	1999	-	ND	-	ND	-	ND
<b>Pennsylvania</b>	<b>Influenza and Pneumonia</b>						
	2001	1,230	22.2	1,523	14.7	2,753	17.4
	2000	1,353	25.9	1,694	16.9	3,047	20.2
	1999	1,361	23.3	1,732	16.7	3,093	19.3
<b>Blair County</b>	<b>Influenza and Pneumonia</b>						
	2001	19	29.1	20	15.5	39	21.1
	2000	18	33.3	28	24.1	46	25.6
	1999	15	23.1	23	18.5	38	20.5
<b>Pennsylvania</b>	<b>Ischemic Heart Diseases</b>						
	2001	13,498	232.7	14,126	140.1	27,624	178.8
	2000	13,859	246.2	14,712	150.4	28,571	190.3
	1999	14,190	241.1	15,328	152.7	29,518	191.0
<b>Blair County</b>	<b>Ischemic Heart Diseases</b>						
	2001	186	290.0	194	162.5	380	209.9
	2000	185	297.1	191	159.4	376	213.1
	1999	215	325.4	181	155.6	396	224.9
<b>Pennsylvania</b>	<b>Liver Disease, Chronic and Cirrhosis</b>						
	2001	698	11.3	430	5.4	1,128	8.1
	2000	641	10.5	438	5.5	1,079	7.8
	1999	625	10.6	393	5.0	1,018	7.6
<b>Blair County</b>	<b>Liver Disease, Chronic and Cirrhosis</b>						
	2001	4	ND	5	ND	9	ND
	2000	10	15.2	4	ND	14	9.7
	1999	5	ND	5	ND	10	6.3

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Liver, Alcoholic Liver Disease</b>						
	2001	224	3.6	88	1.3	312	2.4
	2000	216	3.5	68	1.0	284	2.2
	1999	205	3.5	69	1.0	274	2.2
<b>Blair County</b>	<b>Liver, Alcoholic Liver Disease</b>						
	2001	3	ND	-	ND	3	ND
	2000	6	ND	1	ND	7	ND
	1999	1	ND	2	ND	3	ND
<b>Pennsylvania</b>	<b>Malnutrition</b>						
	2001	52	1.0	103	1.0	155	1.0
	2000	55	1.0	132	1.3	187	1.2
	1999	72	1.2	107	1.0	179	1.1
<b>Blair County</b>	<b>Malnutrition</b>						
	2001	-	ND	3	ND	3	ND
	2000	4	ND	3	ND	7	ND
	1999	-	ND	2	ND	2	ND
<b>Pennsylvania</b>	<b>Meningitis</b>						
	2001	13	0.2	13	0.2	26	0.2
	2000	17	0.3	7	ND	24	0.2
	1999	3	ND	17	0.2	20	0.2
<b>Blair County</b>	<b>Meningitis</b>						
	2001	1	ND	-	ND	1	ND
	2000	-	ND	-	ND	-	ND
	1999	-	ND	-	ND	-	ND

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Mental and Behavioral Disorders</b>						
	2001	802	14.7	1,577	14.6	2,379	15.0
	2000	635	12.0	1,393	13.5	2,028	13.5
	1999	618	10.6	1,200	11.0	1,818	11.3
<b>Blair County</b>	<b>Mental and Behavioral Disorders</b>						
	2001	6	ND	13	9.2	19	9.8
	2000	5	ND	10	8.8	15	8.9
	1999	5	ND	13	10.6	18	9.9
<b>Pennsylvania</b>	<b>Multiple Sclerosis</b>						
	2001	58	0.9	89	1.2	147	1.1
	2000	50	0.8	97	1.3	147	1.1
	1999	38	0.7	85	1.2	123	1.0
<b>Blair County</b>	<b>Multiple Sclerosis</b>						
	2001	1	ND	1	ND	2	ND
	2000	-	ND	-	ND	-	ND
	1999	2	ND	1	ND	3	ND
<b>Pennsylvania</b>	<b>Nephritis, Nephrotic Syndrome and Nephrosis</b>						
	2001	1,327	23.2	1,501	15.5	2,828	18.3
	2000	1,288	23.3	1,387	14.7	2,675	17.8
	1999	1,284	21.9	1,388	14.6	2,672	17.4
<b>Blair County</b>	<b>Nephritis, Nephrotic Syndrome and Nephrosis</b>						
	2001	20	29.5	31	28.1	51	28.9
	2000	16	23.3	20	17.7	36	20.4
	1999	23	34.5	14	12.5	37	20.6

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Nutritional Deficiencies</b>						
	2001	57	1.0	113	1.1	170	1.1
	2000	58	1.1	140	1.4	198	1.3
	1999	78	1.3	124	1.2	202	1.2
<b>Blair County</b>	<b>Nutritional Deficiencies</b>						
	2001	-	ND	4	ND	4	ND
	2000	5	ND	3	ND	8	ND
	1999	-	ND	2	ND	2	ND
<b>Pennsylvania</b>	<b>Pancreas and Biliary Tract Disorders</b>						
	2001	114	1.9	108	1.2	222	1.5
	2000	122	2.1	104	1.2	226	1.6
	1999	86	1.5	117	1.3	203	1.4
<b>Blair County</b>	<b>Pancreas and Biliary Tract Disorders</b>						
	2001	2	ND	1	ND	3	ND
	2000	1	ND	2	ND	3	ND
	1999	-	ND	3	ND	3	ND
<b>Pennsylvania</b>	<b>Parkinson's Disease</b>						
	2001	563	10.0	459	4.5	1,022	6.4
	2000	507	9.5	423	4.2	930	6.0
	1999	424	7.3	325	3.2	749	4.7
<b>Blair County</b>	<b>Parkinson's Disease</b>						
	2001	8	ND	5	ND	13	6.9
	2000	4	ND	3	ND	7	ND
	1999	4	ND	5	ND	9	ND
<b>Pennsylvania</b>	<b>Peptic Ulcer</b>						
	2001	77	1.4	108	1.1	185	1.2
	2000	83	1.5	94	0.9	177	1.2
	1999	78	1.3	96	1.0	174	1.1
<b>Blair County</b>	<b>Peptic Ulcer</b>						
	2001	1	ND	6	ND	7	ND
	2000	-	ND	2	ND	2	ND
	1999	-	ND	1	ND	1	ND

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Phlebitis, Thrombophlebitis, Venous Embolism, and Thrombosis</b>						
	2001	70	1.2	89	1.0	159	1.1
	2000	58	1.0	95	1.1	153	1.1
	1999	43	0.7	87	1.0	130	0.9
<b>Blair County</b>	<b>Phlebitis, Thrombophlebitis, Venous Embolism, and Thrombosis</b>						
	2001	2	ND	1	ND	3	ND
	2000	2	ND	1	ND	3	ND
	1999	-	ND	1	ND	1	ND
<b>Pennsylvania</b>	<b>Pneumoconiosis</b>						
	2001	222	4.0	2	ND	224	1.4
	2000	222	4.2	5	ND	227	1.5
	1999	218	3.8	3	ND	221	1.4
<b>Blair County</b>	<b>Pneumoconiosis</b>						
	2001	1	ND	-	ND	1	ND
	2000	-	ND	-	ND	-	ND
	1999	2	ND	-	ND	2	ND
<b>Pennsylvania</b>	<b>Pneumonia</b>						
	2001	1,227	22.1	1,517	14.6	2,744	17.4
	2000	1,329	25.4	1,663	16.6	2,992	19.8
	1999	1,347	23.1	1,697	16.4	3,044	19.0
<b>Blair County</b>	<b>Pneumonia</b>						
	2001	19	29.1	20	15.5	39	21.1
	2000	17	31.9	27	23.3	44	24.5
	1999	15	23.1	23	18.5	38	20.5

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Pneumonitis Due to Soldis and Liquids</b>						
	2001	613	11.1	641	6.1	1,254	7.9
	2000	599	11.5	668	6.7	1,267	8.3
	1999	565	9.7	592	5.7	1,157	7.2
<b>Blair County</b>	<b>Pneumonitis Due to Soldis and Liquids</b>						
	2001	10	15.4	12	8.6	22	11.9
	2000	4	ND	15	12.5	19	10.5
	1999	4	ND	5	ND	9	ND
<b>Pennsylvania</b>	<b>Poisoning (Accidental, Suicide, Homicide, Undetermined, Legal Interv.)</b>						
	2001	755	12.7	286	4.5	1,041	8.6
	2000	863	14.6	383	6.1	1,246	10.2
	1999	766	13.4	325	5.3	1,091	9.3
<b>Blair County</b>	<b>Poisoning (Accidental, Suicide, Homicide, Undetermined, Legal Interv.)</b>						
	2001	10	17.1	3	ND	13	10.6
	2000	9	ND	5	ND	14	10.9
	1999	10	17.5	5	ND	15	12.6

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Rheumatic Fever (Acute) and Chronic Rheumatic Heart Disease</b>						
	2001	68	1.1	164	1.8	232	1.6
	2000	51	0.9	146	1.7	197	1.3
	1999	60	1.0	189	2.2	249	1.7
<b>Blair County</b>	<b>Rheumatic Fever (Acute) and Chronic Rheumatic Heart Disease</b>						
	2001	1	ND	3	ND	4	ND
	2000	-	ND	3	ND	3	ND
	1999	-	ND	5	ND	5	ND
<b>Pennsylvania</b>	<b>Rheumatoid Arthritis and Related Inflammatory Polyarthropathies</b>						
	2001	25	0.4	110	1.2	135	0.9
	2000	23	0.4	99	1.1	122	0.8
	1999	38	0.6	101	1.1	139	0.9
<b>Blair County</b>	<b>Rheumatoid Arthritis and Related Inflammatory Polyarthropathies</b>						
	2001	1	ND	-	ND	1	ND
	2000	-	ND	-	ND	-	ND
	1999	-	ND	1	ND	1	ND
<b>Pennsylvania</b>	<b>Septicemia</b>						
	2001	1,127	19.3	1,519	16.2	2,646	17.4
	2000	1,095	19.5	1,478	15.8	2,573	17.3
	1999	1,048	17.9	1,490	15.38.0	2,538	16.7
<b>Blair County</b>	<b>Septicemia</b>						
	2001	23	36.2	28	23.5	51	28.4
	2000	7	ND	33	28.2	40	22.4
	1999	19	28.8	24	21.3	43	23.8

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Suffocation &amp; Strangulation</b>						
	2001	452	7.7	233	2.8	685	5.1
	2000	437	7.5	227	2.9	664	5.1
	1999	428	7.4	207	2.6	635	4.8
<b>Blair County</b>	<b>Suffocation &amp; Strangulation</b>						
	2001	4	ND	6	ND	10	6.8
	2000	3	ND	1	ND	4	ND
	1999	8	ND	3	ND	11	7.5
<b>Pennsylvania</b>	<b>Suicide (Intentional Self-Harm)</b>						
	2001	1,043	17.4	223	3.5	1,266	10.1
	2000	1,105	18.5	243	3.8	1,348	10.7
	1999	1,045	18.0	227	3.7	1,272	10.4
<b>Blair County</b>	<b>Suicide (Intentional Self-Harm)</b>						
	2001	10	15.5	3	ND	13	9.5
	2000	16	25.9	3	ND	19	14.2
	1999	13	22.2	6	ND	19	15.7
<b>Pennsylvania</b>	<b>Suicide (Intentional Self-Harm), by Firearm</b>						
	2001	600	10.0	81	1.3	681	5.4
	2000	684	11.5	66	1.0	750	5.9
	1999	624	10.7	79	1.3	703	5.7
<b>Blair County</b>	<b>Suicide (Intentional Self-Harm), by Firearm</b>						
	2001	6	1.0	1	ND	7	ND
	2000	13	21.1	1	ND	14	10.3
	1999	6	ND	2	ND	8	ND

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.

Commonwealth of Pennsylvania - Department of Health  
 Pennsylvania Residents, 1999-2001  
 Number of Deaths by Sex

County	Deaths/Years	Male (ND = Count<10)		Female (ND = Count<10)		Total (ND = Count<10)	
		Count	Rate (per 100,000)	Count	Rate (per 100,000)	Count	Rate (per 100,000)
<b>Pennsylvania</b>	<b>Suicide (Intentional Self-Harm), Not Firearm, Other or Unknown</b>						
	2001	443	7.4	142	2.2	585	4.7
	2000	421	7.1	177	2.7	598	4.8
	1999	421	7.3	148	2.4	569	4.7
<b>Blair County</b>	<b>Suicide (Intentional Self-Harm), Not Firearm, Other or Unknown</b>						
	2001	4	ND	2	ND	6	ND
	2000	3	ND	2	ND	5	ND
	1999	7	ND	4	ND	11	8.9
<b>Pennsylvania</b>	<b>Tuberculosis</b>						
	2001	11	0.2	9	ND	20	0.1
	2000	14	0.2	9	ND	23	0.2
	1999	20	0.3	17	0.2	37	0.3
<b>Blair County</b>	<b>Tuberculosis</b>						
	2001	-	ND	-	ND	-	ND
	2000	-	ND	-	ND	-	ND
	1999	-	ND	-	ND	-	ND
<b>Pennsylvania</b>	<b>Viral Disease</b>						
	2001	521	3.5	237	3.5	758	6.0
	2000	514	8.5	239	3.5	753	6.0
	1999	475	8.3	229	3.5	704	5.8
<b>Blair County</b>	<b>Viral Disease</b>						
	2001	3	ND	-	ND	3	ND
	2000	3	ND	3	ND	6	ND
	1999	1	ND	3	ND	4	ND

Source: PA Certificates of Death

DISCLAIMER: These data were provided by the Bureau of Health Statistics Research, PA Dept. of Health. The Dept disclaims responsibility for any analyses, interpretations or conclusions.